

# World-Pak Division, Inteplast Group, Ltd.

## Material Safety Data Sheet

### MANUFACTURER

World-Pak Division, Inteplast Group, Ltd.  
101 Inteplast Blvd., Highway 1593, Lolita, Texas 77971  
Telephone: (361) 874-3762 Fax: (361) 874-3984

### MSDS No: WP-PVC Board

Preparation Date: 06/02/2011  
Supersedes Date: 04/12/2010

Emergency: 800-424-9300 (CHEMTREC)

## 1. PRODUCT IDENTIFICATION

**Product Name:** PVC Board  
**Product Code:** Tufboard Deck, Tufboard Trim, TUFboard Siding, Tufboard Rail, Tufboard Molding, TUFboard Millwork, Tufboard Fence, Veranda HP, GuarDeck Elite, Guard Trim, CEVN Decking, InteFoam, InteCel, InteCel PW  
**Chemical Family:** Polymer of Chlorinated Hydrocarbon  
**Chemical Name:** Polyvinyl Chloride  
**CAS No:** 9002-86-2  
**Synonyms:** Expanded Foam PVC Sheet, Integral Skin Expanded Foam PVC Sheet, PVC Wood sheet, Celuka PVC Sheet, Wood/PVC Composite Sheet, Co-extruded PVC Board  
**Formula:** Proprietary  
**Technical Information:** (361) 874-3762

## 2. PRODUCT INGREDIENTS

<u>No.</u>	<u>Components</u>	<u>CAS No.</u>	<u>Percent (%)</u>	<u>OSHA PEL</u>
1	PVC	9002-86-2	50 - 100%	5 mg/M <sup>3</sup> (respirable dust)
2	Proprietary	Mixtures	0 - 50%	Not established

## 3. PHYSICAL/CHEMICAL PROPERTIES

**Physical Form:** Solid Sheet  
**Color:** Finished sheet with colors specified  
**Odor:** Insignificant  
**Boiling Point:** Not applicable  
**Melting Point:** Not established  
**Freezing Point:** Not applicable  
**Solubility in Water:** None  
**Specific Gravity:** 0.4 - 2.0 (water = 1)  
**Vapor Density:** Not applicable (air = 1)  
**Evaporation Rate:** None (Butyl Acetate = 1)  
**Vapor Pressure:** Not applicable  
**% Volatile:** None  
**pH:** Not applicable

The physical data presented above are typical values and should not be construed as a specification.

## 4. FIRE HAZARD DATA AND FIGHTING METHOD

<b>Flash Point:</b>	Not applicable
<b>Autoignition:</b>	Not applicable
<b>Flammable Limits</b>	
<b>In Air (LEL, %)</b>	Not applicable
<b>(UEL, %)</b>	Not applicable
<b>Extinguishing Media:</b>	Dry chemical, foam water, or carbon dioxide
<b>Special Fire Fighting Procedure:</b>	In the event of a fire, wear NIOSH approved, positive pressure, self-contained breathing apparatus (SCBA) and full protective clothing. Evacuate all personnel from danger area. Use dry chemical, foam, water or carbon dioxide to extinguish fire.

### **Unusual Fire and Explosion Hazards:**

This product is nonflammable and nonexplosive under normal conditions of use. It will not continue to burn after ignition without an external fire source. When forced to burn, the major gaseous products of the combustion of PVC are carbon monoxide, carbon dioxide, and hydrogen chloride.

## 5. HUMAN HEALTH DATA

<b>Emergency Overview:</b>	During a fire emergency, avoid inhalation, eye and skin contacts.
<b>Primary Route(s) of Exposure:</b>	Inhalation, Eye, Skin Contact

### **Potential Health Effects and Symptoms of Over-Exposure**

<b>Eye Contact:</b>	Dust may cause eye irritation
<b>Skin Contact:</b>	May cause skin irritation
<b>Inhalation:</b>	May cause discomfort in nose and throat
<b>Ingestion:</b>	Unlikely

### **Medical Conditions Aggravated by Overexposure:**

Available toxicological information and the physical/chemical properties of the material suggest that there is no evidence that this product aggravates an existing medical condition.

<b>Carcinogenicity:</b>	<b>NTP:</b> No	<b>IARC:</b> No	<b>OSHA:</b> No
-------------------------	----------------	-----------------	-----------------

## 6. FIRST AID MEASURES

<b>Eye Contact:</b>	Immediately flush eyes with water for at least 15 minutes. Do not rub the eyes. If irritation develops, consult a physician.
<b>Skin Contact:</b>	Wash affected skin areas with soap and water. If irritation develops, get medical attentions immediately
<b>Inhalation:</b>	Remove subject to fresh air. If symptoms develop, seek immediate medical attention.
<b>Ingestion:</b>	Unlikely.
<b>Notes to Physician:</b>	Treat symptomatically and supportively.
<b>Other Instructions:</b>	Never give anything by mouth to an unconscious person.

## 7. EXPOSURE CONTROLS, PERSONAL PROTECTION RECOMMENDATIONS

<b>Eye Protection:</b>	Wear safety glasses during sheet cutting or fabricating process		
<b>Skin Protection:</b>	Wear gloves and long sleeved clothing when cutting or fabricating sheets.		
<b>Respiratory Protection:</b>	Use NIOSH/MAHA approved dust respirators as needed.		
<b>Engineering Control:</b>	Ventilation Requirements – Local Exhaust		
<b>Required Work/Hygiene Procedure:</b>	Do not eat, drink, or smoke in work area. Wash hands thoroughly after handling, especially before eating, drinking, smoking, chewing, or using restroom facility.		
<b>Exposure Guidelines:</b>			
<b>No.</b>	<b>Components</b>	<b>OSHA-PEL</b>	<b>ACGIH-TLV</b>
1	PVC	5 mg/M <sup>3</sup> (as respirable dust)	10 mg/M <sup>3</sup> (as nuisance dust)

## 8. ACCIDENTAL RELEASE CONTROL MEASURES

**Response to Spills:** Not applicable

## 9. HANDLING AND STORAGE

**Handling:** Use with care. Wear gloves if necessary when cutting or fabricating sheet.  
**Storage:** Store in a cool dry, well-ventilated area away from sources of extreme heat or fire.  
**Container Use:** Not applicable

## 10. STABILITY AND REACTIVITY

**Stability:** Stable  
**Conditions to Avoid:** Avoid fire or elevated temperature above 250°C.  
**Hazardous Decomposition:** If burned, it will generate carbon dioxide, carbon monoxide and hydrogen chloride.  
**Hazardous Polymerization:** Will not occur

## 11. DISPOSAL CONSIDERATIONS

**Disposal Method:** It must be disposed of in accordance with Federal, State and local environmental control regulations.  
**Recycle/Reclaim:** Recycling of PVC sheet should be encouraged where possible.

## 12. TRANSPORT INFORMATION

**DOT Shipping Name:** Not listed  
**DOT Label:** Not applicable  
**DOT Hazard Class:** Not regulated  
**UN/NA Number:** Not applicable  
**Hazard Label(s):** Not applicable  
**Hazard Placard(s):** Not applicable  
**Packing Group:** Not applicable  
**Bulk Packaging:** Not applicable  
**RQ:** Not applicable  
**Emergency Response Guide (ERG) No.:** Not applicable

### 13. TOXICOLOGICAL INFORMATION

The information provided below can be subject to misinterpretation. Therefore, it is essential that the following information be interpreted by individuals trained in its evaluation.

<u>Chemical</u>	<u>Toxicity Data</u>
PVC	ori-rat TDLo: 210 g/kg/30W-C:ETA

### 14. ECOLOGICAL INFORMATION

No data is available on the adverse effects of this product on the environment. Neither COD nor BOD data are available.

### 15. REGULATORY INFORMATION

#### FEDERAL REGULATORY INFORMATION

<b>OSHA Status:</b>	Not listed
<b>EPA Clean Air Act Status:</b>	Not listed
<b>EPA Clean Water Act Status:</b>	Not listed
<b>TSCA Status:</b>	PVC is listed on TSCA Inventory (40 CFR710)
<b>CERCLA RQ:</b>	Not listed

**SARA Title III**  
PVC

<u>Section 302*</u>	<u>Section 313**</u>	<u>Section 311/312***</u>
None	None	None

\*Reportable quantity of extremely hazardous substance, Sec. 302

\*Threshold planning quantity, extremely hazardous substance, Sec. 302

\*\*Toxic chemical, Sec. 313

\*\*Category as required by Sec 313 (40CFR372.65C). Must be used on Toxic Release Inventory form.

\*\*\*Hazard category for SARA Sec.311/312 reporting H1=acute health hazard, H2=chronic health hazard, P3=fire hazard, P4=sudden release of pressure hazard, P5=reactive hazard

**RCRA Status:** The product is not an RCRA hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal whether a material containing the product or derived from the product should be classified as a hazardous waste (40CFR261.20-24).

#### OTHER REGULATORY INFORMATION

The following chemicals are specifically listed by individual states; other product-specific health and safety data in other sections of the MSDS may also be applicable for state requirements. For details on your regulatory requirements, you should contact the appropriate agency in your state.

<u>State</u>	<u>Chemical</u>	<u>Regulation</u>
Texas	PVC	Effects Screening Level (ESL) List: short term 50 ug/M <sup>3</sup> ; long term 5 ug/M <sup>3</sup>
California		Proposition 65: warning – this product contains a chemical, residual VCM, known to the state of California to cause cancer

**Product Name: PVC Sheet**

**International**

United Kingdom Occupational Exposure Standards: TWAs total inhalable dust 10 mg/M<sup>3</sup> TWA;  
Respirable dust 5mg/M<sup>3</sup>

Germany MAK Value: fine dusts 5 mg/M<sup>3</sup> MAK

**16. OTHER INFORMATION**

**NFPA**

Fire – 1

Health – 0

Reactivity – 0

Specific Hazard – None

**HMIS**

Health - 0

Flammability - 1

Reactivity - 0

Personal Protection Index - E

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of World-Pak Division, Inteplast Group, Ltd. Neither World-Pak Division, Inteplast Group, Ltd. nor any of its subsidiaries assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards, which exist. World-Pak Division, Inteplast Group, Ltd. assumes no legal responsibility for loss, damage or expense arising out of, or in any way connected with, the handling, storage, use or disposal of this product.